



भारत का राजपत्र

The Gazette of India

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 20]

नई विल्ली, शनिवार, मई 15, 1993 (वैशाख 25, 1915)

No. 20]

NEW DELHI, SATURDAY, MAY 15, 1993 (VAISAKHA 25, 1915)

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके।
[Separate paging is given to this Part in order that it may be filed as a separate compilation]

भाग III—खण्ड 2
[PART III—SECTION 2]

पेटेन्ट कार्यालय द्वारा जारी की गई पेटेन्टों और डिजाइनों से सम्बन्धित अधिसूचनाएँ और नोटिस
[Notifications and Notices Issued by the Patent Office relating to Patents and Designs]

THE PATENT OFFICE

PATENTS AND DESIGNS

Calcutta, the 15th May 1993

ADDRESS AND JURISDICTION OF OFFICES OF THE
PATENT OFFICE

The Patent Office has its Head Office at Calcutta and Branch Offices at Bombay, Delhi and Madras having territorial Jurisdiction on a zonal basis as shown below :—

Patent Office Branch,
Todi Estates, III Floor,
Lower Parel (West), Bombay-400 013.

The States of Gujarat, Maharashtra and Madhya Pradesh and the Union Territories of Goa, Daman and Diu and Dadra and Nagar Haveli.

Telegraphic address "PATOFFICE".

Patent Office Branch,
Unit No. 401 to 405, III Floor,
Municipal Market Building,
Saraswati Marg, Karol Bagh,
New Delhi-110 005.

The States of Haryana, Himachal Pradesh, Jammu and Kashmir, Punjab, Rajasthan and Uttar Pradesh and the Union Territories of Chandigarh and Delhi.

Telegraphic address "PATENTOFIC".

Patent Office Branch,
61, Wallajah Road,
Madras-600 002.

The States of Andhra Pradesh, Karnataka, Kerala, Tamilnadu and the Union Territories of Pondicherry, Laccadive, Minicoy and Aminidivi Islands.

Telegraphic address "PATENTOFIS".

Patent Office, (Head Office),
"NIZAM PALACE", 2nd M.S.O. Building,
5th, 6th and 7th Floor,
234/4, Acharya Jagadish Bose Road,
Calcutta-700 020.

Rest of India.

Telegraphic address "PATENTS".

All applications, notices, statements or other documents or any fees required by the Patents Act, 1970 or the Patents Rules, 1972 will be received only at the appropriate Offices of the Patent Office.

Fees :—The fees may either be paid in cash or may be sent by Money Order payable to the Controller at the appropriate Office or by bank draft or cheque, payable to the Controller drawn on a scheduled bank at the place where the appropriate office is situated.

पेटेंट कार्यालय
एकस्थ तथा अधिकार
कलकत्ता, दिनांक 15 मई 1993

पेटेंट कार्यालय के कार्यालयों के पहुंच क्षेत्राधिकार
पेटेंट कार्यालय का प्रधान कार्यालय कलकत्ता में अवस्थित है
राज्य नम्बर ५, विली एवं मदास में इसके शास्त्र कार्यालय है, जिनके
प्रावैशिक क्षेत्राधिकार गोन के आधार पर निम्न रूप में प्रदर्शित
है :—

पेटेंट कार्यालय शास्त्र, टोडी इस्टेंट,
तीसरा तल, लोबर परेस (परिवहन),
दम्भड़-400013।

गुजरात, महाराष्ट्र तथा मध्य प्रदेश राज्य
क्षेत्र एवं संघ शासित क्षेत्र गोआ, दमन तथा
दीव एवं दादरा और नगर हवेली।

तार पता—“पेटेंटोफिस”

पेटेंट कार्यालय शास्त्र,
एफक गं. 401 से 405, तीसरा तल,
नगरपालिका बाजार भवन,
मरस्वती मार्ग, करोल बाग,
नह फिल्डी-110005।

हिमाचल प्रदेश, अस्सी तथा कर्मीर,
पंजाब, गजराजन तथा उत्तर प्रदेश राज्य क्षेत्रों
में मन शासित क्षेत्र चंडीगढ़ तथा दिल्ली।

तार पता—“पेटेंटोफिस”

पेटेंट कार्यालय शास्त्र,
61, बालाजाह रोड,
मद्रास-600002।

आन्ध्र प्रदेश, कर्मठक, कोरल, तमिलनाडु राज्य
क्षेत्र एवं संघ शासित क्षेत्र पान्डुचेरी, लकड़ीपीय,
मिनिकाय तथा एमिनिदीप द्वीप।

तार पता—“पेटेंटोफिस”

पेटेंट कार्यालय (प्रधान कार्यालय),
निजाम पैलेस, विश्वीय बहुतसीय कार्यालय,
भवन 5, 6 तथा 7वां तल,
234/4, आचार्य जगदीश बोस रोड,
कलकत्ता-700020।

भारत का अवधेश क्षेत्र।

तार पता—“पेटेंट्स”

पेटेंट अधिनियम, 1970 या पेटेंट नियम, 1972 में अप्रियता सभी आवेदन पत्र, सूचनाएँ, विवरण या अन्य प्रकार पेटेंट कार्यालय के कोल उपयुक्त कार्यालय में ही प्राप्त किए जाएंगे।

शुल्क :—शुल्कों की अवायी या तो नकद की जाएगी अथवा उपयुक्त कार्यालय में नियंत्रक को भुगतान योग्य भावेश अधिक आदेश या जहां उपयुक्त कार्यालय अवस्थित है; उह स्थान के अनुसंधित दौक से नियंत्रक को भुगतान योग्य दौक छाप अथवा दौक द्वारा की जा सकती है।

SPECIAL NOTICE

The qualifying examination as prescribed under clause (c) (ii) of Sub-Section (1) of Section 126 of the Patents Act, 1970 read with Rule 95 of the Patents Rules, 1972 will be held at the Patent Office, Calcutta and its branches at Bombay, Madras and New Delhi on Thursday, the 15th July, 1993 and Friday, the 16th July, 1993.

The schedule of the qualifying examination (written) will be as follows :

Paper I—Patents Act & Rules. 10.30 a.m. to 1.00 p.m.

Paper II—Drafting and interpretation of Patent Specifications and other documents. 2.30 p.m. to 5.00 p.m.

The viva voce Examination will be held on Friday, the 16th July, 1993 at 11.00 a.m.

CORRIGENDUM

In the Gazette of India Part III Section 2 likely to be published on 8-5-1993 under the heading “PATENT SEALED”.
For Patent sealed on 9-4-1993

Read Patent Sealed on 8-4-1993.

CORRIGENDUM

In the Gazette of India Part III Section 2 dated 21-11-92 in page 1355, Col. 2 under the heading complete specification accepted, for Patent No. 171372, the name of the 3rd applicant is to be read as Kwality Frozen Foods Private Limited.

THE PATENT OFFICE

Calcutta, the 15th May 1993

APPLICATION FOR PATENTS FILED AT THE HEAD OFFICE 234/4, ACHARYA JAGDISH BOSE ROAD, CALCUTTA-20.

The dates shown in the crescent branch are the dates claimed under section 135, of the Patents Act, 1970.

23rd March 1993

172/Cal/93 Gda International S. A., Latex vital barrier itemssuch as condoms.

173/Cal/93 Bina Metal Way Pvt. Ltd. Improved rail seat assembly for use and components therefor on railway concrete sleeper.

24th March 1993

174/Cal/93 Sterling International. A valve for providing multisource vacuum to the distributor in an internal combustion engine.

175/Cal/93 Building solutions Pty. Ltd. Building panel and buildings using the panel.

(Convention No. PL. 2132 dated 28-4-92 in Australia).

(Convention No. PL. 2733 dated 2-6-92 in Australia).

26th March 1993

COMPLETE SPECIFICATION ACCEPTED

176/Cal/93 Tejendra Garg. A novel arrangement for feeding carbide to the reactor in an acetylene generator.

177/Cal/93 Hoechst Aktiengesellschaft. Supported catalyst, process for its preparation and its use for the preparation of vinyl acetate.

178/Cal/93 Franz Plasser Bahnbaumaschinen-Industriegesellschaft m. b. h. A tamping machine with a two sleeper tamping unit.

29th March 1993

179/Cal/93 Ionotch, Inc. Method and apparatus for manufacturing lenses using thin coatings.

180/Cal/93 (1) Provesta Corporation, (2) Dow Corning Enterprises, Inc. Delivery system for insecticides.

181/Cal/93 Kerr-McGee Chemical Corporation. Titanium dioxide pigment & method of preparation.

30th March 1993

182/Cal/93 American Cyanamid Company. 2-Aryl-5-(Trifluoromethyl)-2-Pyrrolidine Compounds and process for the manufacture of insecticidal, 2-aryl-1-(Alkoxyethyl)-4-Halo-5-(Trifluoromethyl) pyrroles.

(Divided out of No. 894/Cal/91 dated 2-12-91).

183/Cal/93 American Cyanamid Company. 2-Aryl-5-(Trifluoromethyl)-2-pyrrolidine Compounds and process for the manufacture of Insecticidal, 2-aryl-1-(Alkoxyethyl)-4-Halo-5-(Trifluoromethyl) pyrroles. [Divided out of No. 894/Cal/91 dated 2-12-91].

31st March 1993

184/Cal/93 Hoechst Celanese Corporation. Process for Preparing Pyridine and Quinoline Derivatives. [Divided out of No. 272/Cal/91 dated 9-4-91].

185/Cal/93 Dilip Chatterjee and Swapan Chatterjee. A moving advertising device.

186/Cal/93 Ralph Haber Hoyeck. Blind Folk Mobile (BFM), (Convention No. 2,065,624-7 dated 09/04/92 in Canada).

2nd April 1993

187/Cal/93 B. V. Optische Industrie "De oude Delft." Dosimeter for Ionizing Radiation. [Divided out of No. 573/Cal/89 dated 18th July, 1989].

188/Cal/93 Emitec Gesellschaft Fur Emissionste Chronologie mbh. Apparatus for Catalytic Exhaust Gas Cleaning.

189/Cal/93 Li Shih Yung. A new diversified mechanical structure for coating fabrics.

190/Cal/93 Om Chandra Kafley. The manufacture of portable bio-gas plant-bayugni.

ALTERATION OF AN ENTRY IN THE REGISTER OF PATENT AGENTS UNDER RULE 103 OF THE PATENTS RULES, 1972

In pursuance of the applications filed on 26-02-93, 18-03-93 & 23-03-93 on Form 52 by the following Registered Patent Agents respectively, the addressee of their principal place of business have been altered to :

01. R. P. Bhattacharya,
C/o. DePenning & DePenning,
10, Government Place East,
Calcutta-700 069.
02. Samarendra Chakraborty,
ESCI Law Consultants,
"Sh vam Chambers", 4th Floor,
53, Syed Amir Ali Avenue,
Calcutta-700 019.
03. A. A. Mohan, Advocate,
124, Sir P. S. Sivaswami Salai,
Madras-600 004—which is also the residential address.

Notice is hereby given that any person interested in opposing the grant of patents on any of the Applications concerned, may, at any time within four months of the date of this issue or within such further period not exceeding one month applied for on Form 14 prescribed under the Patents Rules, 1972 before the expiry of the said period of four months, given notice to the Controller of Patents at the appropriate office on the prescribed Form 15, of such opposition. The written statement of opposition should be filed alongwith the said notice or within one month of its date as prescribed in Rule 36 of the Patents Rules, 1972.

The classifications given below in respect of each specification are according to Indian Classification and International Classification.

Typed or photo copies of the specifications together with photo copies of the drawings, if any, can be supplied by the Patent Office, Calcutta or the appropriate Branch Office on payment of the prescribed copying charges which may be ascertained on application to that office. Photo copying charges may be calculated by adding the number of pages in the specification and drawing sheets mentioned below against each accepted specification and multiplying the same by two to get the charges as the copying charges per page are Rs. 2/-.

स्वीकृत सम्पूर्ण विनियोग

एवं द्वारा यह सूचना दी जाती है कि सम्बद्ध आवेदनों में से किसी पर पेटेंट अनुदान का विरोध कोई व्यक्ति, इसके निर्गम की तिथि से चार (4) महीने या अधिक ऐसी अवधि जो उक्त 4 महीने की अवधि की समाप्ति के पूर्व पेटेंट नियम, 1972 के तहत विहित प्रथम 14 पर आवैदित एक महीने की अवधि से अधिक न हो, के भीतर कभी भी नियंत्रक, एकस्व की उपर्युक्त कार्यालय को ऐसे विरोध की सूचना विहित प्रथम 15 पर वे सकते हैं। विरोध सम्बन्धी लिखित वक्तात्म्य, उक्त सूचना के साथ अस्त्रा पेटेंट नियम, 1972 के नियम 36 में यथा विहित इसकी तिथि के एक महीने के भीतर ही फाइल किए जाने चाहिए।

"प्रत्येक विनियोग के संदर्भ में नीचे दिए गयीकरण, भारतीय वर्गीकरण तथा अन्तरराष्ट्रीय वर्गीकरण के अनुसर है।"

रूपांकन (पिच आरेलों) की फोटो प्रतियाँ यदि कोई हो, के साथ विनियोगों की टंकित अथवा फोटो प्रतियाँ की आपूर्ति पेटेंट कार्यालय, कलकत्ता अथवा उपर्युक्त शास्त्र कार्यालय द्वारा विहित लिप्यान्तरण प्रभार जिसे उक्त कार्यालय से पत्र अंकहार द्वारा स्त्रीशिक्षित करने के उपर्युक्त उसकी अवायपी पत्र की जा सकती है। विनियोग की पृष्ठ संस्था के साथ प्रत्येक स्वीकृत विनियोग के सामने नीचे वर्णित पिच आरेल ज्ञागजों को ओड़कर उसे 2 से 4 ग्रा करके (क्षेत्रीक प्रत्येक पृष्ठ का लिप्यान्तरण प्रभार 2/- रु. है) फोटो लिप्यान्तरण प्रभार का पैरिकलन किया जा सकता है।

Ind. Cl. : 152-E—[GROUP - XII(2)]
Int. Cl.⁴ : C 08 L 77/00.

172231

A FIRE RESISTANT POLYAMIDE COMPOSITION.

Applicant : RHONE-POULENC CHIMIE, A FRENCH BODY CORPORATE OF 25, QUAI PAUL DOUMER, 92408 COURBEVOIE, FRANCE.

Inventors : (1) YVES BONIN
(2) JACK LEBLANC

Application No. 712/MAS/88 filed October 11, 1988.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Madras Branch.

5 Claims (No drawing)

A fire resistant polyamide composition comprising 1 to 30% by weight of the polyamide of red phosphorus; from 0.1×10^{-3} to 100×10^{-3} gram-atoms, per 100 g of polyamide of at least one lanthanide-based compound selected from organic and inorganic derivatives of any one of the lanthanides, cerium, lanthanum, praseodymium, neodymium, promethium, samarium, europium, gadolinium, terbium, dysprosium, holmium, erbium, ytterbium, thulium, lutetium and yttrium and mixtures of such derivatives; and talc with zinc sulphide and/or zinc oxides such that the quantity of talc is between 0.5 and 5% by weight, and the total quantity of the zinc compound(s) is between 0.1 and 5% by weight, the said percentage being based on the weight of the polyamide present in the composition and the quantities of talc and of zinc compound(s) are such that the ratio of weight of talc employed to weight of the zinc compound(s) employed, is between 1 and 5.

(Comp.—35 pages)

Ind. Cl. : 72 B [XXXIX(3)]
Int. Cl.⁴ : C 06 B — 47/14.

172232

A WATER-IN-OIL EMULSION EXPLOSIVE COMPOSITION.

Applicants : IRECO INCORPORATED, A CORPORATION OF THE STATE OF DELAWARE, OF ELEVENTH FLOOR CROSSROADS TOWER, SALT LAKE CITY, UTAH, USA 84144.

Inventors : LEE FREDERIC MCKENZIE
LAWRENCE DAVID LAWRENCE.

Application No. 736/Mas/88 filed on 25th October, 1988.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Madras Branch.

10 Claims

A water-in-oil emulsion explosive composition comprising a water-immiscible organic fuel as a continuous phase in an amount of 3% to 12% by weight based on the total composition; an emulsified aqueous inorganic oxidizer salt solution as a discontinuous phase, comprising inorganic oxidizer salt in an amount of 20% to 55% by weight and water in an amount of 10% to 20% by weight; particulate oxidizer salt in an amount of 35% to 65% by weight; a polybutene derivatized emulsifier in an amount of 0.1% to 5% by weight; and organic microspheres as a density reducing agent in an amount sufficient to reduce the density of the explosive to within the range of 1.0 to 1.5 g/cc.

(Complete specification—18 pages;

Drawing—Nil)

Ind. Cl. : 72 B [XXXIX(3)].
Int. Cl.⁴ : C 06 B — 47/14.

172233

"A WATER-IN-OIL EMULSION EXPLOSIVE COMPOSITION".

Applicant : IRECO INCORPORATED, A CORPORATION OF THE STATE OF DELAWARE OF ELEVENTH FLOOR CROSSROADS TOWER SALT LAKE CITY, UTAH, 84144 U.S.A.

Inventor : LEE FREDERIC MCKENZIE.

Application No. 737/Mas/88 filed on 25th October 1988.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Madras Branch.

7 Claims

A water-in-oil emulsion explosive composition comprising 3% to 12% by weight of a water-immiscible organic fuel as a continuous phase; an emulsified aqueous inorganic oxidizer salt solution as a discontinuous phase comprising 20% to 55% of an inorganic oxidizer salt and 10% to 20% of water; 35% to 65% by weight of a particulate oxidizer salt; 0.1% to 5% of a phenolic derivative of poly-propene or polybutene as emulsifier from a density reducing agent such as herein described in an amount sufficient to reduce the density of the explosive to within the range of 1.0 to 1.5 g/cc.

(Complete specification 15 pages;

Drawing Nil).

Ind. Cl. : 58 B [XXVI(3)].

172234

Int. Cl.⁴ : E 06 B 1/12.

AN IMPROVED METAL DOOR.

Applicant : THARAKKAL RAMAN UNNI, B.E., SREE-NIKETH, OLD THEVARA ROAD, COCHIN 682 016, KERALA, INDIA, INDIAN NATIONAL.

Inventor : THARAKKAL RAMAN UNNI.

Application No. 774/Mas/88 filed on 7th November 1988.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Madras Branch.

6 Claims

An improved metal door comprising at least one outer member forming a closed frame of the desired shape; at least one inner member located within, and spanning, the frame, characterised in that the outer member and the inner member have a clamp-like configuration to receive within them a metal sheet of the said shape, the said sheet covering the entire area of the frame; at least one bracket member provided on either side of the sheet and located within the frame, the said outer member, the inner member and the bracket member being attached to the sheet.

(Complete specification 8 pages;

Drawing 1 sheet)

Ind. Cl. : 129-J — [GROUP — XXXV]

172235

Int. Cl.⁴ : B 21 H 1/00
F 27 D 3/00

AN IMPROVED METHOD OF PRODUCING STEEL STRIPS FROM STEEL SLABS BY HOT ROLLING IN A HOT-STRIP MILL.

Applicant : HOOGOVENS GROEP B. V. OF P.O. BOX 10.000 1970 CA IJMUIDEN, THE NETHERLANDS, A DUTCH COMPANY.

Inventors : (1) RUDY WESTDORP
(2) FRANS PIETER MUYSKEN

Application No. 782/Mas/88 filed November 9, 1988.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972), Patent Office, Madras Branch.

7 Claims

In a method of producing steel strips from steel slabs by hot rolling in a hot-strip mill, the improvement comprising heating a plurality of steel slabs to a rolling temperature in a furnace having controllable energy supply, determining the mean temperature of all the slabs introduced into the furnace, determining the mean temperature of at least one virtual slab from the mean temperatures of the corresponding group of steel slabs, computing the mean exist temperature of the virtual slab from the furnace, measuring the mean temperature of the slabs existing from the furnace and adjusting the energy supply in accordance with the difference in the mean temperature of the exist from the furnace of said virtual slab and the mean temperature of the steel slabs existing from the furnace to bring the plurality of steel slabs to the rolling temperature.

(Comp. 15 pages;

Drwg.—1 sheet)

Ind. Cl. : 72 C [XXXIX(3)].

172236

Int. Cl.⁴ : C 06 B 45/00.

A PROCESS FOR PREPARING A PROPELLANT GRAIN.

Applicant : INDIAN SPACE RESEARCH ORGANISATION DEPARTMENT OF SPACE F BLOCK CAUVERY BHAVAN, BANGALORE-560 009, KARNATAKA STATE, INDIA.

Inventors : 1. SOMASUNDARAM KUMARESAN ATHITHAN,
2. LALITHA RAMACHANDRAN,
3. PULIMOOTTIL MATHEW VARKEY.

Application No. 954/Mas/88 filed on 30th November 1988.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, Madras.

4 Claims

A process for preparing a propellant grain comprising the steps preparing a hydroxy terminated polybutadiene (HTPB) propellant slurry in a known manner, casting the slurry into blocks, curing the blocks at a temperature of about 70°C followed by room temperature curing, assembling the blocks in the desired shape using the said slurry as the bonding material, curing the assembly at room temperature for a few days to obtain finished grain.

(Complete specification 8 pages;

Drawing 2 sheets)

Ind. Cl. : 205-H — [GROUP — LVI]

172237

Int. Cl.⁴ : B 29 D 30/02
B 60 C 7/00

A NON-PNEUMATIC TYRE.

Applicant : ALTRACK LIMITED, A COMPANY INCORPORATED IN THE STATE OF WESTERN AUSTRALIA OF 160 ST. GEORGE'S TERRACE, PERTH, WESTERN AUSTRALIA, COMMONWEALTH OF AUSTRALIA.

Inventor : BRIAN JARMAN.

Application No. 882/Mas/88 filed December 12, 1988.



Convention date : December 15, 1987; (No. PI 5903; Australia).

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972) Patent Office Branch, Madras.

14 Claims

A non-pneumatic tyre comprising an annular body of resilient construction having a radially outer peripheral portion, a radially inner peripheral portion, a radially compressible circumferential web extending between and connected to the radially inner and outer portions, and an intermediate portion between the radially outer and radially inner peripheral portions, said intermediate portion being provided on each side

of the circumferential web with an arrangement of radially compressible ribs, said arrangements having evenly matched numbers of ribs disposed in a complementary manner, each rib extending between and being connected to the radially inner and outer peripheral portions and to the circumferential web wherein the circumferential web comprises consecutive web sections extending in alternate directions, and each rib comprises a radially inner and a radially outer rib portion formed integrally and disposed angularly with respect to each other to define a zone about which the ribs can flex thereby to provide a cushioned, durable tyre.



Int. Cl. : I16-F — [GROUP — XLIX]

172238

Int. Cl. : B 65 B 13/14

DOOR DRIVE DEVICE WITH LOCKING MECHANISM FOR LIFTS.

Applicant : INVENTIO AG, A SWISS COMPANY, CH-6052 HERGISWIL NW, SWITZERLAND.


Inventor : JOSEF HUSMANN.

Application No. 102/Mas/89 filed February 8, 1989.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972) Patent Office Branch, Madras.

8 Claims

Door drive device with locking mechanism for lifts in which device a cage door (30) is movable by a drive (36) and in the region of the sills connectable through a coupling mechanism with a shaft door (43), wherein the coupling mechanism consists of an entraining parallelogram (1) borne at a cage door wing (30.2, 30.3) and two coupling rollers (44, 45) respectively arranged at each shaft door (43) and the drive (36) displays a drive motor (37) fitted above the case (33), a connecting gear (38) and a drive means (42), which is connected with the cage door (30) through an actuating lever (9) and fixes the cage door (30) in the closed and in the open setting and the locking mechanism displays a pivotably borne cage door bolt (12), which is monitored by a safety contact (20), is arrestable at an abutment (16), is locked by its own weight in a retaining position and which uregables into a releasing position by a control roller (14) running up onto a control cam (24), wherein an actuating lever (9), which is pivotable between two fixedly placed elastic abutments (16, 17), is articulatedly connected at one end with the drive means (42) and at the other end with the cage door (30), transmits the movement of the cage door (30) and the shaft door (43) coupled thereto and which carries out the opening a close of the entraining parallelogram when the cage door (30) is stationary, is fitted at the cage door (30).



(Cont.—17 pages)

Drawgs.—3 sheets)

Int. Cl. : 90-K — [GROUP — XXXVI]

172239

Int. Cl. : C 03 C 4/06

A METHOD OF MAKING PHOTOCHROMIC GLASS.

Applicant : CORNING GLASS WORKS, A CORPORATION ORGANISED UNDER THE LAWS OF THE STATE OF NEW YORK, U.S.A., OF SULLIVAN PARK, FR-212, CORNING, NEW YORK 14831, U.S.A.


Inventor : MICHEL PRASSAS.

Application No. 243/Mas/89 filed March 28, 1989.

Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules 1972) Patent Office Branch, Madras.

5 Claims (No drawing)

A method of making photochromic glass having a refractive index greater than 1.545, an Abbe number greater than 42, and a density lower than 2.80 g/cm³ comprising the steps of pro-



paring a batch for a base glass yielding in terms of weight percent on the oxide basis,

SiO_2	33.50	MgO	0.5
B_2O_3	15.25	CaO	0.5
$\text{SiOB}_2 + \text{B}_2\text{O}_3$	38.66	SrO	0.10
Al_2O_3	2.9	BaO	0.10
ZrO_2	1.5	ZnO	0.5
$\text{Al}_2\text{O}_3 + \text{ZrO}_2$	4.10	$\text{MgO} + \text{CaO} + \text{SrO} + \text{BaO} + \text{ZnO}$	1.15 (XO)
Li_2O	1.5-6	$\text{X}_2\text{O} + \text{XO}$	10.24
Na_2O	0.4	La_2O_3	0.5
K_2O	2.9	Nb_2O_5	8.16
$\text{Li}_2\text{O} + \text{Na}_2\text{O} + \text{K}_2\text{O}$	7.16 (X ₂ O)	TiO_2	2.8
$\text{Li}_2\text{O}/\text{X}_2\text{O}$ 0.20-0.50	$\text{ZrO}_2 + \text{TiO}_2 + \text{Nb}_2\text{O}_5 + \text{La}_2\text{O}_3$		14.23

adding photochromic agents yielding, as analyzed in weight percent,

Ag	0.130-0.280
Br	0.130-0.220
Ag+Br	>0.270
Cl	0.170-0.360
CuO	0.0070-0.0350,

melting the same, at 1300-1375°C, to yield a glass with photochromic agents, annealing said glass, (at 400-500°C) and subjecting the same to a specific heat treatment of 380-640°C for 5 minutes-2 hours to develop the photochromic properties.

(Cont.—33 pages)

Ind. Cl. : 32-F₂(b) — [GROUP — IX(1)]

172240

Int. Cl. : C 07 D 251/56

A PROCESS OF PREPARING MELAMINE.

Applicant : KOEA ADVANCED INSTITUTE OF SCIENCE AND TECHNOLOGY, 373-1, KUSUNG-DONG, YUSUNG-GU, TAEJON, REPUBLIC OF KOREA, A KOREAN COMPANY.





Inventors : (1) YONG-HAE KIM
(2) KWEON KIM
(3) BYOUNG-UK IM

Application No. 421/Mas/91 filed June 3, 1991.


Appropriate Office for Opposition Proceedings (Rule 4, Patents Rules, 1972) Patent Office Branch, Madras.

2 Claims

A process of preparing melamine, which comprise the reaction of guanidine derivatives of the formula (I) of the accompanying drawings,





(I)





wherein R¹ and R² are hydrogen, methyl or ethyl with proviso that when one of R¹ and R² is ethyl, the other is hydrogen, with 1, 1, 1, 3, 3, 3-hexamethyldisilazane which acts not only as a catalyst, but also as a solvent, the reaction taking place at a temperature of 110°C ~ 130°C and at normal pressure,


wherein with the result of the reaction the guanidine derivatives being decomposed into R¹R²NH and cyanamide, and then the cyanamide which is an intermediate being instantly trimerized with melamine.



(A)



(B)



(C)

PATENT SEALED
ON 16-4-93

166061* 168839 169695 169777 169885 169981* 170073*
170078 170131 170135 170136 170145D 170568 170789D
171023 171152

Cal—9, Bom—Nil, Del—4, Mas—3.

"Patent shall be deemed to be endorsed with the words "LICENCE OF RIGHT" under Section 87 of the Patents Act, 1970 from the date of expiration of three years from the date of Sealing.

D-- DRUG PATENT

AMENDMENT PROCEEDINGS UNDER SECTION 57

Notice is hereby given that Degussa Aktiengesellschaft, of 6000 Frankfurt am Main Weisstrasse 9, Federal Republic of Germany, a company organised under the laws of the Federal Republic of Germany have made an application under Section 57 of the Patents Act, 1970 for amendment of the application & specification of their application for Patent No. 169015 for "A process for the extraction of hydrogen peroxide from the working solution obtained in a conventional and hraquinone process".

The application for amendment and the proposed amendments can be inspected free of charge of Patent Office 234/4, Acharya Jagadish Bose Road, Calcutta-700 020 or copies of the same can be had on payment of the usual copying charges. Any person interested in opposing the application for amendment may file a notice of opposition on the prescribed Form 30 within three months from the date of this notification at the Patent Office Calcutta. If the written statement of opposition is not filed with the notice of opposition it shall be left within one month the date of filing the said notice.

RENEWAL FEES PAID

151688 152349 152478 152482 152483 153115 153302 153304
153358 153359 153360 153363 153395 153399 153423 153503
153544 153680 153962 154250 154669 154853 154856 154857
154893 155009 155016 155021 155023 155140 155147 155151
155154 155155 155156 155178 155179 155205 155348 156775
156818 157250 157257 157261 157397 157438 157442 157443
157492 157493 157501 157503 157519 157520 157670 158384
158557 158655 158672 158674 158960 158990 158993 159278
159309 159808 159885 160095 160177 160179 160184 160185
160357 160512 160537 160540 160566 160761 161239 161289
161420 161527 161868 161975 162025 162082 162352 162496
162497 152500 163442 163803 163886 164013 164171 164175
164227 164265 164280 164319 164439 164606 164707 164843
164845 164849 165125 165228 165806 165838 166354 166851
167488 167490 167499 167612 167626 167627 167690 167756

167757 167768 167912 167931 168108 168109 168139 168198
168296 168348 168375 168532 168536 168617 168710 168730
168861 168871 168873 168874 168876 168878 168879 169137
169140 169173 169279 169494 169543 169544 169599 169617
169653 169654 169655 16971 169774 169926 169927 169987
169985 170031 170033 170175 170611

CESSATION OF PATENTS DUE TO NON PAYMENT OF RENEWAL FEES

164019 164020 164021 164024 164025 164026 164047 164055
164057 164071 164074 164077 164078 164084 164085 164090
164103 164104 164105 164106 164111 164112 164114 164120
164122 164128 164134 164148 164149 164155 164160 164163
164165 164166 164180 164184 164186 164189 164198 164201
164208 164209 164212 164213 164220 164221 164222 164224
164225 164237 164240 164242 164251 164253 164256 164272
164278 164279 164292 164294 164297 164300 164303 164305
164307 164308 164324 164326 164332 164342 164348 164352
164356 164359 164364 164366 164367 164370 164372 164374
164376 164377 164383 164390 164399 164402 164408 164420
164423 164424 164433 164437 164450 164454 156484 157891
163444 164932 165244 166972 169240

REGISTRATION OF DESIGNS

The following designs have been registered. They are not open to inspection for a period of two years from the date of registration except as provided for in Section 50 of the Designs Act, 1911.

The Date shown in the each entries is the date of registration of the design included in the entry.

Class 3. Nos. 165355 to 165359. Clone Mannequins Inc., 299, Prakash Mohalla, East of Kailash, New Delhi, India. Indian Partnership Firm. "Mannequin". February 17, 1993.

Class 3. No. 165373. MRF Limited, 124, Greams Road, Madras-600006, Tamil Nadu, India, Indian Company. "Tyre". February 23, 1993.

Class 4. No. 165374. Guru Ayurvedic Works, 28, Amratala Street, Kajaria Market, 3rd floor, Room No. 316, Calcutta-700001, West Bengal, India, Indian Partnership Firm. "Bottle". February 23, 1993.

R. A. ACHARYA
Controller General of Patents, Designs
and Trade Marks

पद्धतिक, भारत सरकार मंत्रणालय, फरीदाबाद द्वारा मीठत

एवं प्रकाशन निगमन, दिल्ली द्वारा प्रकाशित, 1993

PRINTED BY THE MANAGER, GOVERNMENT OF INDIA PRESS, FARIDABAD,
AND PUBLISHED BY THE CONTROLLER OF PUBLICATIONS, DELHI, 1993

